

UNITED STATES DISTRICT COURT  
THE SOUTHERN DISTRICT OF OHIO  
EASTERN DIVISION

IN RE: DAVOL, INC./C.R. BARD,  
INC., POLYPROPYLENE HERNIA  
MESH PRODUCTS LIABILITY  
LITIGATION

Case No. 2:18-md-2846

Judge Edmund A. Sargus, Jr.  
Magistrate Judge Kimberly A. Jolson

This document relates to:  
*Grove v. Davol, Inc., et al.*  
Case No. 2:20-cv-4789

**ORDER**

On July 23, 2020, Plaintiff Susan Grove filed a complaint in this multidistrict litigation (“MDL”) (Case No. 20-cv-3717, ECF No. 1). In the complaint, Plaintiff asserts several claims based on alleged injuries caused by a Ventralight ST hernia mesh patch, a product manufactured by Defendants. (*Id.*) On September 11, 2020, through different counsel, Plaintiff filed another complaint in this MDL, also alleging injuries caused by the Ventralight ST. (ECF No. 1.) On April 13, 2023, Defendants filed a motion to dismiss the instant action as duplicative of Case No. 20-cv-3717. (ECF No. 3.) Plaintiff did not file a response, and the Court will therefore treat the motion as unopposed. Accordingly, Defendants’ motion (ECF No. 3) is **GRANTED** and this case is **DISMISSED**.

**IT IS SO ORDERED.**

5/15/2023  
DATE

s/Edmund A. Sargus, Jr.  
EDMUND A. SARGUS, JR.  
UNITED STATES DISTRICT JUDGE